

Message

From: Eric H. Mulcahy [eric@sandssurveying.com]
Sent: 12/13/2017 3:56:28 PM
To: Dick Sloan [rsloan@mt.gov]; 'Susan Nicosia' [nicosias@cityofcolumbiafalls.com]; Cliff.boyd@Calbag.com; ptravis@flatheadlandtrust.org; jenkinsg@cityofcolumbiafalls.com; Cirian, Mike [Cirian.Mike@epa.gov]; 'Deleray, Mark' [MDeleray@mt.gov]
Subject: RE: Fish pond excavation

I'm flexible.

Eric H. Mulcahy, AICP
Sands Surveying, Inc.
2 Village Loop
Kalispell, MT 59901
Ph. (406) 755-6481
Fax (406) 755-6488

From: Sloan, Richard [mailto:RSloan@mt.gov]
Sent: Wednesday, December 13, 2017 8:33 AM
To: Susan Nicosia; Cliff.boyd@Calbag.com; Eric H. Mulcahy; ptravis@flatheadlandtrust.org; jenkinsg@cityofcolumbiafalls.com; Cirian, Mike; Deleray, Mark
Subject: RE: Fish pond excavation


Susan,
December 18 and 19 are pretty open for a conference call..
Thank you.

Dick Sloan

From: Susan Nicosia [mailto:nicosias@cityofcolumbiafalls.com]
Sent: Tuesday, December 12, 2017 1:34 PM
To: Cliff.boyd@Calbag.com; Eric H. Mulcahy; ptravis@flatheadlandtrust.org; jenkinsg@cityofcolumbiafalls.com; Sloan, Richard; Cirian, Mike; Deleray, Mark
Subject: Fish pond excavation
Importance: High

All –
We need to get together to determine if the fish pond excavation material can be moved to CFAC for potline fill in a timely and affordable manner. It would be best to meet, at least via a phone conference, later this week or early next week.
Please let me know your availability as soon as possible,
Thank you

Susan

Susan M. Nicosia, CPA, MPA 
City Manager/Planning & Zoning Administrator
130 6th St West, Columbia Falls, MT 59912
(406)892-4384 – Office
(406)270-9865 – Cell

"Great communities elevate the human spirit through beauty, amenity, culture and history."

PLEASE DO NOT read, copy or disseminate this communication unless you are the intended addressee. This email communication contains confidential and/or privileged information intended only for the addressee. If you have received this communication in error, please call us at (406)892-4391 and ask to speak to the sender of the communication. Also, please email the sender and notify the sender immediately that you have received this communication in error.